

NAVARA SINGLE CAB

NAVARA





THE POWER TO KEEP MOVING FORWARD

Africa-proven Navara petrol engines have been tried and tested to offer maximum performance and durability, whilst maintaining efficient running costs and legendary reliability you can trust.



BUILT FOR AFRICA. BUILT TO DO MORE.

With structural durability improvements made for the toughest working conditions, the Navara Single Cab range boasts high tensile steel body construction with additional reinforcements throughout. Suspension and chassis have been locally tested to exceed the demands of the harshest African road conditions.

BEST IN-CLASS LOADING CAPACITY

Nissan Navara Single Cabs arrive ready to work with and increased load box size and world class load capacity of up to 1 111KG*. Then, unique side steps add every day practicality for easy load box access.





Practicality Meets Comfort

The all-capable Nissan Navara Single Cab range is an evolutionary leap forward in workhorse pickup standards. Expect dynamic styling, ergonomic interior conveniences, comfort and driver safety technology

SAFETY AND SECURITY AS A PRIORITY

Navara Single Cabs offer driver and passenger airbags as standard, with additional side curtain and driver knee airbags for additional protection.*

Nissan Navara - 2 & 4 Wheel Drive

MODEL - Single Cab		2.5i XE 4X2 MT	2.5i XE Plus 4X2 MT	2.5D XE 4X2 MT	2.5D XE Plus 4X2 MT	2.5D XE 4X4 MT	2.5D XE Plus 4X4 MT
ENGINE							
Engine		2.5i Low Output	2.5i Low Output	2.5D Mid Output	2.5D Mid Output	2.5D Mid Output	2.5D Mid Output
Displacement	сс	2488	2488	2488	2488	2488	2488
Number of Cylinders		4	4	4	4	4	4
Bore and Stroke	mm	89.0 x 100.0					
Maximum Power	kW/rpm	118/6000	118/6000	120/3600	120/3600	120/3600	120/3600
Maximum Torque	Nm/rpm	233/4000	233/4000	403/2000	403/2000	403/2000	403/2000
Fuel Type		Petrol	Petrol	Diesel	Diesel	Diesel	Diesel
Fuel Supply		Multipoint, Manifold Injection	Multipoint, Manifold Injection	Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection
Fuel Tank Capacity	ę	80	80	80	80	80	80
TRANSMISSION & DRIVE TRAIN							
Transmission		6-Speed Manual					
Driven Wheels		2WD	2WD	2WD	2WD	4WD	4WD
SUSPENSION							
Front Suspension		Independent Double- Wishbone + Stabiliser					
Rear Suspension		Leaf Spring					
WEIGHTS & CAPACITY							
Gross Combination Mass (GCM)	kg	6130	6130	6130	6130	6130	6130
Gross Vehicle Mass (GVM)	kg	2950	2950	2950	2950	3000	3000
Tare Mass	kg	2680	2680	2880	2880	2930	2930
Min Kerb Weight	kg	1685	1685	1801	1801	1885	1885
Max Kerb Weight	kg	1706	1706	1822	1822	1906	1906
Payload	kg	1111	1111	1182	1182	1152	1152
Gross Axle Mass (Front - Laden)	kg	1320	1320	1320	1320	1320	1320
Gross Axle Mass (Rear - Laden)	kg	1690	1690	1785	1785	1785	1785
Maximum Towing Capacity Unbraked	kg	750	750	750	750	750	750
Maximum Towing Capacity Braked	kg	1588	1588	3500	3500	3500	3500
DIMENSIONS							
Overall Length	mm	5235	5235	5235	5235	5235	5335
Overall Width (Excluding Mirrors)	mm	1790	1790	1790	1790	1790	1790
Overall Height	mm	1755	1755	1755	1755	1760	1760
Wheelbase	mm	3150	3150	3150	3150	3150	3150
Ground Clearance (Rear Axle)	mm	214	214	214	214	214	214
Front Track	mm	1550	1550	1550	1550	1550	1550
Rear Track	mm	1550	1550	1550	1550	1550	1550
Front Overhang	mm	885	885	885	885	885	885
Rear Overhang	mm	1200	1200	1200	1200	1200	1200
Turning Circle (Kerb to Kerb)	m	6,0	6,0	6,0	6,0	6,0	6,0
Approach Angle	Degrees	30,7	30,7	30,7	30,7	31,8	31,8
Departure Angle	Degrees	26,6	26,6	26,6	26,6	26,3	26,3
Ramp Break-Over Angle	Degrees	22,2	22,2	22,2	22,2	22,8	22,8
Load Box Length - Floor	mm	2353	2353	2353	2353	2353	2353
Load Box Length - Top	mm	2311	2311	2311	2311	2311	2311
Load Box Width - Floor	mm	1560	1560	1560	1560	1560	1560
Load Box Width - Top	mm	1552	1552	1552	1552	1552	1552

control<	MODEL - Single Cab		2.5i XE 4X2 MT	2.5i XE Plus 4X2 MT	2.5D XE 4X2 MT	2.5D XE Plus 4X2 MT	2.5D XE 4X4 MT	2.5D XE Plus 4X4 MT
Lad bis when "name downNM <td>DIMENSIONS (Continued)</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	DIMENSIONS (Continued)							
numbernm929292929292929292Washa bodymNo600600100100100100Washa bady part15 Steft15 Steft15 Steft15 Steft15 Steft10 Staft100 Staft<	Load Box Width - Between Wheel Arches	mm	1134	1134	1134	1134	1134	1134
which graphnm640064006400640064006400wells and part14'Saal14'Saal15'Saal15'Saal16'Saal16'Saal16'Saal16'Saal16'Saal16'Saal16'Saal16'Saal16'Saal16'Saal16'Saal16'Saal16'Saal16'Saal16'Saal16'Saal16'Saal16'Saal16'Saal10'Saa10'Sa	Load Box Width - Tailgate Opening	mm	1360	1360	1360	1360	1360	1360
WHRS LEWINGVertical Vertical Wired Scan TopeVertical Vertical Scan TopeVertical Vertical Scan TopeVertical Vertical Scan TopeVertical Scan Tope <th< td=""><td>Load Box Height</td><td>mm</td><td>472</td><td>472</td><td>472</td><td>472</td><td>472</td><td>472</td></th<>	Load Box Height	mm	472	472	472	472	472	472
whereal the stand startin the "standin the "stand <td>Wading Depth</td> <td>mm</td> <td>600</td> <td>600</td> <td>600</td> <td>600</td> <td>600</td> <td>600</td>	Wading Depth	mm	600	600	600	600	600	600
TyreNo206,706.6T205,706.6T205,706.6T205,706.6T205,706.6T205,706.6T205,706.6TPLI Size SteelFull Size SteelFu	WHEELS & TYRES							
Span wheth span	Wheel Size and Type		16" Steel	16" Steel	16" Steel	16" Steel	16" Steel	16" Steel
Span wheal Lock Option Option Option Option Option Option Option Star Name Image Black <	Tyre		205/R16 AT	205/R16 AT	205/R16 AT	205/R16 AT	205/R16 AT	205/R16 AT
Principie View Participie Participie <td>Spare Wheel</td> <td></td> <td>Full Size Steel</td>	Spare Wheel		Full Size Steel	Full Size Steel	Full Size Steel	Full Size Steel	Full Size Steel	Full Size Steel
CillDiskB	Spare Wheel Lock		Option	Option	Option	Option	Option	Option
Prot BumperImage: Image: Side-com Muror FlahnImage: I	EXTERIOR							
Side-boor Mirror FinishImageBlackBlackBlackBlackBlackBlackBlackBlackManual Adjustment Manual Adjustment	Grill		Black	Black	Black	Black	Black	Black
Sele box MirrorsManual Adjuttment Manual FoldManual Adjuttment Manual FoldFord Tork ManualGald	Front Bumper		Black	Black	Black	Black	Black	Black
add-outwinting based with the set of the set o	Side-Door Mirror Finish		Black	Black	Black	Black	Black	Black
Prot and Rear Mud FlagsImageStdStdStdStdStdStdFront Storing HockImageStdStdStdStdStdStdHeadightsImageImageHalogenHalogenHalogenHalogenHalogenFog LightsImageImageImageImageImageImageImageSeture ScopacityImageSeparate sattSeparate sattSeparat	Side-Door Mirrors							
Print Towing HookNoSidSidSidSidSidHeadightsImageHalogenHalogenHalogenHalogenHalogenHalogenPoglightsImageImageImageImageHalogenHalogenHalogenHalogenPoglightsImageImageImageImageImageImageImageImageSetting CapacityImageSeparate seatSeparate seatSeparate seatSeparate seatSeparate seatSeparate seatSeparate seatSeparate seatImage <t< td=""><td>External Door Handles</td><td></td><td>Black</td><td>Black</td><td>Black</td><td>Black</td><td>Black</td><td>Black</td></t<>	External Door Handles		Black	Black	Black	Black	Black	Black
HeadightsImageHalogenHalogenHalogenHalogenHalogenHalogenHalogenHalogenFog UptsImageImageImageImageImageImageImageCOMFORT CONVENENCEImageImageImageImageImageImageImageComment ConvertImageImageImageImageImageImageImageImageConvertImageImageImageImageImageImageImageImageImageSeating ConvertImageImageImageImageImageImageImageImageImageDriver Seat AdjustmentImageImageImageImageImageImageImageImageImageImageImageSeat UphalterImageImageImageImageImageImageImageImageImageImageImageImageSeat UphalterImage	Front and Rear Mud Flaps		Std	Std	Std	Std	Std	Std
Pog LightsImage: Po	Front Towing Hook		Std	Std	Std	Std	Std	Std
Concent a CONVENTINCE Vert of the section of the sectin of the section	Headlights		Halogen	Halogen	Halogen	Halogen	Halogen	Halogen
Seturg CapacityImage: seture capacity	Fog Lights		-	-	-	-	-	-
Print Seat TypeSeparate seatSeparate seatSepa	COMFORT & CONVENIENCE							
Driver Seat Adjustment4-Way Manual4-Way Manual4-Way Manual6-Way Manual4-Way Manual6-Way Manual4-Way ManualPassenger Seat Adjustment2-Way Manual2-Way Manual2-Way Manual2-Way Manual2-Way Manual2-Way ManualSeat UpholsteryImage: Manual7-Way Manual7-Way Manual7-Way Manual7-Way Manual2-Way Manual2-Way Manual2-Way ManualSeat UpholsteryImage: Manual7-Way Manual7-Way Manual7-Way Manual7-Way Manual7-Way Manual7-Way ManualFlor MaterialImage: Manual7-Way Manual7-Way Manual7-Way Manual7-Way Manual7-Way Manual7-Way ManualFlor Loor Storage Pockets and BotteImage: Manual7-Way Manual7-Way Manual7-Way Manual7-Way Manual7-Way Manual7-Way ManualSunglass HolderImage: Manual Manual7-Way Manual7-Way Manual7-Way Manual7-Way Manual7-Way Manual7-Way ManualVSO Use PortImage: Manual Manual7-Way Manual7-Way Manual7-Way Manual7-Way Manual7-Way Manual7-Way ManualVSO Use PortImage: Manual Manual Manual MindowImage: Manual Manua	Seating Capacity		2	2	2	2	2	2
Pasenger Seat Adjustment12-Way Manual4-Way Manual4-Way Manual4-Way Manual4-Way Manual4-Way ManualSeat UpholsteryIVinylFabricVinylFabricVinylFabricVinylFabricFloor MaterialIVinylCarpetVinylCarpetVinylCarpetVinylCarpetFront Dup HoldersI222222222Front Door Storage Pockets and BottleI222 <td>Front Seat Type</td> <td></td> <td>Separate seat</td> <td>Separate seat</td> <td>Separate seat</td> <td>Separate seat</td> <td>Separate seat</td> <td>Separate seat</td>	Front Seat Type		Separate seat	Separate seat	Separate seat	Separate seat	Separate seat	Separate seat
Seat UpholsteryImage: start of the search of th	Driver Seat Adjustment		4-Way Manual	6-Way Manual	4-Way Manual	6-Way Manual	4-Way Manual	6-Way Manual
Floor MaterialNumpleCarpetNumpleCarpetNumpleCarpetFront Cup Holders122<	Passenger Seat Adjustment		2-Way Manual	4-Way Manual	2-Way Manual	4-Way Manual	2-Way Manual	4-Way Manual
Front Cup HoldersImage: Barlow of the stand o	Seat Upholstery		Vinyl	Fabric	Vinyl	Fabric	Vinyl	Fabric
Front Door Storage Pockets and Bottle222222Sunglass HolderII	Floor Material		Vinyl	Carpet	Vinyl	Carpet	Vinyl	Carpet
HolderImage: Marcine and Marc	Front Cup Holders		2	2	2	2	2	2
12V Outlet Inside Cabin1121212USB Port111<			2	2	2	2	2	2
USB PortImage: Constraint of the state of the	Sunglass Holder		-	-	-	-	-	-
Air-ConditioningImage: Bir and the static stati	12V Outlet Inside Cabin		1	2	1	2	1	2
Manual WindowsImage: StdStdStdStdStdStdPower Windows with Driver Auto Up/ Own Button	USB Port		-	-	-	-	-	-
Power Windows with Driver Auto Up/ Down Button Image: Marcine Stream of the Stream o	Air-Conditioning		Std	Std	Std	Std	Std	Std
Down ButtonImage: Constraint of the const	Manual Windows		Std	Std	Std	Std	Std	Std
Auto Dimming Rear View Mirror Image: Constraint of the second s			-	-	-	-	-	-
Manual Dimming Rear View Mirror Image: M	Rear Screen		Fixed	Fixed	Fixed	Fixed	Fixed	Fixed
AUDIO & CONNECTIVITY Image: Constant state	Auto Dimming Rear View Mirror		-	-	-	-	-	-
Without Audio Head Unit (With Pre-Wire) Std Std Std Std Std SAFETY & SECURITY Image: Std Std Std Std Std Driver and Front Passenger Airbags Image: Std Std Std Std Std	Manual Dimming Rear View Mirror		Std	Std	Std	Std	Std	Std
SAFETY & SECURITY Std Std Std Std Std Std	AUDIO & CONNECTIVITY							
Driver and Front Passenger Airbags Field Std Std Std Std Std Std Std Std Std St	Without Audio Head Unit (With Pre-Wire)		Std	Std	Std	Std	Std	Std
	SAFETY & SECURITY							
Side Airbaas - Std - Std - Std - Std	Driver and Front Passenger Airbags		Std	Std	Std	Std	Std	Std
	Side Airbags		-	Std	-	Std	-	Std

Specifications & Features

MODEL - Single Cab	2.5i XE 4X2 MT	2.5i XE Plus 4X2 MT	2.5D XE 4X2 MT	2.5D XE Plus 4X2 MT	2.5D XE 4X4 MT	2.5D
SAFETY & SECURITY (Continued)						
Curtain Airbags	-	Std	-	Std	-	
Driver Knee Airbag	-	Std	-	Std	-	
Front Seat Belts 3-Point ELR with Pre- Tensioner, Load Limiter and Seatbelt Reminder	Std	Std	Std	Std	Std	
ISOFIX Child Seat Anchorage	-	-	-	-	-	
Immobiliser	Std	Std	Std	Std	Std	
Alarm	-	-	-	-	-	
Anti-Lock Braking System (ABS)	Std	Std	Std	Std	Std	
Electronic Brake Force Distribution (EBD)	Std	Std	Std	Std	Std	
Brake Assist (BA)	Std	Std	Std	Std	Std	
Vehicle Dynamic Control (VDC)	-	Std	-	Std	-	
Trailer Stability Assist (TSA)	-	Std	-	Std	-	
Hill Start Assist (HSA)	-	Std	-	Std	-	
Hill Descent Control (HDC)	-	-	-	-	-	
Front Brakes - Ventilated Discs	Std	Std	Std	Std	Std	
Rear Brakes - Drum	Std	Std	Std	Std	Std	
Windscreen Wipers	Variable Intermittent	Vari				
SERVICE						
Service Interval	5,000 km					

FEATURES AND SPECIFICATIONS ARE SUBJECT TO CHANGE DEPENDING ON MARKET AND GRADE. PLEASE CONSULT YOUR LOCAL NISSAN DEALERSHIP FOR MORE INFORMATION.



AT NISSAN WE KEEP OUR PROMISES AND TAKE CARE OF OUR FAMILY

Servicing and repairing your Nissan at an authorised Nissan dealership is the way to go. Our Nissan technicians are highly trained specialists that know your Nissan better than anyone. They will use Genuine Nissan Parts, Genuine Nissan Accessories to ensure quality, reliability and to keep your vehicle performing to optimum standards. Nissan aims to keep you and your vehicle on the road with total peace of mind - for as long as possible. That is the Nissan Aftersales commitment.

Nissan's commitment to quality: To provide all customers with a consistently high level of quality. Nissan applies the same standards worldwide, to ensure that all Nissan owners enjoy peace of mind for the lives of their vehicles. The approach is based on quality from the customer's perspective on three key elements: First, the expectation of a smooth driving experience with complete peace of mind. Second, the intangible appeal of a vehicle, its power to captivate and excite, with features that capture attention and imagination. Third, the level of attentiveness and service during the sales process, and long after the sale is concluded.

Legal notice: Every effort has been made to ensure that the contents of this brochure is correct at the time of going to print (October 2021). This brochure may be produced featuring prototype or accessorised vehicles exhibited at motorshows and in accordance with the company's policy of continuously improving its products. Nissan South Africa reserves the right to change the specifications and the vehicles described and shown in this brochure at any time. Nissan dealers will be informed of any such modifications as quickly as possible. Please check with your local Nissan dealer to receive the most up-to-date information. Due to the limitations of the printing process used, the colours shown in this brochure may differ slightly from the actual colours of the paint and interior trim material used. All rights reserved. Reproduction in whole or part of this brochure without the written permission from Nissan is forbidden.



Nissan's commitment to the environment

Nissan's environmental philosophy embraces people, vehicles and nature. In the pursuit of a sustainable mobile society, the Nissan Green Program aims to reduce the environmental impact of Nissan vehicles at every stage of the vehicle life cycle, while corporate activities address environmental challenges.

NISSAN GREEN PROGRAM

Features
D XE Plus 4X4 MT
Std
Std
Std
-
Std
-
Std
iable Intermittent
5,000 km

NISSAN INTELLIGENT MOBILITY

Nissan Intelligent Mobility moves you one step ahead. In cars that feel like an extension of you, helping you see more and sense more, reacting with you, and sometimes even for you. Nissan Intelligent Mobility is about a better future - moving us to a world that's safer, more sustainable, and exciting.

NAVAR